

Aurolux Backlit Solvent WF 220

■ glossy 3567 - 220 µm

Glossy coated, tear resistant polyester backlit film for solvent inks. The front coating is uniform and allows quick drying. The matt back coating optimises the opacity of the film to get the ultimate colour impression for both day and night applications.

Applications

- Indoor signs
- Indoor adverts
- Outdoor signage
- City Light Posters / Outdoor light box displays

Advantages

- High glossy effects for eco- and true-solvent inks
- Night and day applications as frontprint
- Good scratch-resistance
- Suitable for use in areas of high humidity and condensation

Aurolux Backlit Solvent WF 220

■ glossy 3567 - 220 µm

List of Printers

Printer	Ink	Quality
Hewlett Packard DJ 8000S / 9000S / 10000S	Eco Solvent	Excellent
Hewlett Packard DJ L25500 / 26500 / 28500 Latex ink	IR Curing / Latex Ink	Excellent
ColorSpan DisplayMaker 72S	Eco Solvent	Good
Epson SureColor SC-30600 / 50600 / 70600	Eco Solvent	Good
Roland SolJet SJ540 / SC540 SJ 740 / SC740	Eco Solvent	Excellent
Roland VersaCAMM SP-300i / SP-540i	Eco Solvent	Excellent
Roland VS 540 / VS 640	Eco Solvent	Excellent
Roland SolJET PRO4 XR-640	Solvent Ink	Excellent
Mimaki JV-3 160S, 250	Solvent Ink	Good
Mimaki JV 5-130 / -160 / -260 / -320	Eco Solvent	Excellent
Mimaki CJV 30	Eco Solvent	Excellent
Mimaki JV 33 / JV34 - 260	Eco Solvent	Good
Mimaki JV 400	IR Curing / Latex Ink	Good
Mutoh Rockhopper 46", 62"	Eco Solvent	Excellent
Mutoh Rockhopper II 50", 64", 87"	Eco Solvent	Excellent
Mutoh ValueJet 1204 / 1304 / 1614	Eco Solvent	Excellent
Mutoh Valuejet 1204 / 1304 / 1324 / 1614 / 1624 / 1638	Eco Solvent	Good
Océ CS9360 / CS935	Eco Solvent	Excellent
Seiko SII Colorpainter 64S / 100S / W-54s/W-64s / H2-74s/H2-104s	Eco Solvent	Good

Last update: 30.10.2012

Aurolux Backlit Solvent WF 220

■ glossy 3567 - 220 µm

Physical Properties

Weight	295 g/m ²	ISO 536
Thickness	220 µm	ISO 534
Gloss 60°	>80%	ISO 2813

Recommended use and storage

The values provided on this datasheet are only for orientation.

Before using our media please check its compatibility for your printer and intended application. Technical specifications are subject to change, therefore we do not take responsibility for any misprints resulting from technically modified inks and/ or printers. 04.06.2012